



Características Técnicas

Technical specifications


8R-45

Tipo Type Type	Motor Motors 2900 rpm Moteurs		Q = Caudal - Capacity - Débit									
	Cv Hp	kW	l/sec	0	2,8	4,2	5,6	7	8,3	9,7	11,1	12,5
			l/min	0	167	250	333	417	500	583	667	750
			mc/h	0	10	15	20	25	30	35	40	45
EMC 8R-45/2	7,5	5,5	H(m)	50	47	46	45	42	39	36	30	22
EMC 8R-45/3	12,5	9,2		76	73	71	68	65	60	54	46	34
EMC 8R-45/4	15	11		102	99	96	92	87	81	73	62	46
EMC 8R-45/5	17,5	13		129	124	121	116	110	102	93	78	58
EMC 8R-45/6	25	18,5		156	151	146	141	133	124	112	95	71
EMC 8R-45/7	25	18,5		182	178	175	165	155	144	131	111	83
EMC 8R-45/8	30	22		208	200	195	188	178	165	150	127	94
EMC 8R-45/9	35	26		235	226	220	212	200	186	168	143	106
EMC 8R-45/10	35	26		261	251	244	235	222	206	187	159	118
EMC 8R-45/11	40	30		287	275	268	259	244	227	206	174	130
EMC 8R-45/12	50	37		313	301	293	282	266	247	224	190	142
EMC 8R-45/13	50	37		339	326	317	306	289	268	243	206	153
EMC 8R-45/14	50	37		365	351	342	329	311	289	262	222	165
EMC 8R-45/15	60	45		391	377	366	353	333	309	281	238	177
EMC 8R-45/16	60	45		417	402	390	376	355	330	299	254	189
EMC 8R-45/17	60	45		443	426	415	400	377	351	318	269	201
EMC 8R-45/18	70	51		469	452	439	423	400	371	337	285	212
EMC 8R-45/19	70	51		494	475	465	446	426	391	353	300	220
EMC 8R-45/20	75	55		521	502	488	470	444	412	374	317	236
EMC 8R-45/21	75	55		547	525	512	494	466	433	393	333	248
EMC 8R-45/22	80	59		572	550	539	517	490	455	411	349	259
EMC 8R-45/23	85	62		598	577	564	541	512	476	430	365	271
EMC 8R-45/24	85	62		624	602	588	564	535	496	448	381	283
EMC 8R-45/25	90	66		650	628	613	588	557	517	467	397	294
EMC 8R-45/26	100	75		676	653	637	611	579	538	486	412	306
EMC 8R-45/27	100	75		702	678	662	635	601	558	504	428	318
EMC 8R-45/28	100	75		728	703	686	658	624	579	523	444	330
EMC 8R-45/29	125	92		754	728	711	682	646	600	542	460	341
EMC 8R-45/30	125	92		780	753	735	705	668	620	560	476	353
EMC 8R-45/31	125	92		806	778	760	729	690	641	579	492	365
EMC 8R-45/32	125	92		832	803	784	752	713	662	598	508	377
EMC 8R-45/33	125	92		858	828	809	776	735	683	617	524	389

Dimensiones y Peso

Overall dimensions and weights - Dimensions d'encombrement et poids

Tipo Type Type	Cv Hp	kW	A (mm)	B (mm)	C (mm)	D (mm)	ø max (mm)	DN	Peso - Weight - Poids		
									A (kg)	B (kg)	C (kg)
EMC 8R-45/2	7,5	5,5	1297	670	627	145	198	G 3"	93	47	46
EMC 8R-45/3	12,5	9,2	1427	730	697				107	53	54
EMC 8R-45/4	15	11	1557	790	767				120	59	61
EMC 8R-45/5	17,5	13	1617	850	767				127	65	62
EMC 8R-45/6	25	18,5	1807	910	897				146	71	75
EMC 8R-45/7	25	18,5	1867	970	897				152	77	75
EMC 8R-45/8	30	22	1997	1030	967				165	83	82
EMC 8R-45/9	35	26	2117	1090	1027				178	89	89
EMC 8R-45/10	35	26	2177	1150	1027				184	95	89
EMC 8R-45/11	40	30	2365	1316	1049				248	110	138
EMC 8R-45/12	50	37	2495	1376	1119	269			116	153	
EMC 8R-45/13	50	37	2555	1436	1119	275			122	153	
EMC 8R-45/14	50	37	2615	1496	1119	281			128	153	
EMC 8R-45/15	60	45	2785	1556	1229	305			134	171	
EMC 8R-45/16	60	45	2845	1616	1229	311			140	171	
EMC 8R-45/17	60	45	2905	1676	1229	317			146	171	
EMC 8R-45/18	70	51	2965	1736	1229	324			152	172	
EMC 8R-45/19	70	51	3025	1796	1229	330			158	172	
EMC 8R-45/20	75	55	3205	1856	1349	348			164	184	
EMC 8R-45/21	75	55	3343	1994	1349	359			175	184	
EMC 8R-45/22	80	59	3403	2054	1349	365			181	184	
EMC 8R-45/23	85	62	3463	2114	1349	371			187	184	
EMC 8R-45/24	85	62	3523	2174	1349	377			193	184	
EMC 8R-45/25	90	66	3653	2234	1419	404			199	205	
EMC 8R-45/26	100	75	3903	2294	1609	441			205	236	
EMC 8R-45/27	100	75	3963	2354	1609	447			211	236	
EMC 8R-45/28	100	75	4023	2414	1609	453			217	236	
EMC 8R-45/29	125	92	4153	2474	1679	461			223	238	
EMC 8R-45/30	125	92	4213	2534	1679	467			229	238	
EMC 8R-45/31	125	92	4273	2594	1679	473			235	238	
EMC 8R-45/32	125	92	4333	2654	1679	479			241	238	
EMC 8R-45/33	125	92	4393	2714	1679	485			247	238	



SUMERGIBLE RADIAL




Características Técnicas

Technical specifications

8R-45

SUMERGIBLE RADIAL



Debido a continuas mejoras en los diseños, EMC BOMBAS se reserva el derecho de realizar modificaciones sin previo aviso.
Due to continuous improvement in design, EMC BOMBAS reserves the right to amend specifications or data without prior notice.



Características Técnicas

Technical specifications


8R-80

Tipo Type Type	Motor Motors 2900 rpm Moteurs		Q = Caudal - Capacity - Débit									
	Cv Hp	kW	l/sec	0	2,8	5,6	8,3	11,1	13,9	16,7	19,5	22,2
			l/min	0	167	333	500	667	833	1000	1167	1333
			mc/h	0	10	20	30	40	50	60	70	80
EMC 8R-80/2	10	7,5	H(m)	47	45	43	41	39	35	31	25	17
EMC 8R-80/3	15	11		72	69	66	63	59	54	47	38	27
EMC 8R-80/4	20	15		97	94	90	85	80	73	63	51	36
EMC 8R-80/5	25	18,5		122	118	113	107	101	92	80	65	46
EMC 8R-80/6	30	22		148	143	137	130	122	112	97	79	55
EMC 8R-80/7	35	26		173	167	160	152	143	130	113	92	64
EMC 8R-80/8	40	30		198	191	183	174	163	149	129	105	74
EMC 8R-80/9	50	37		224	214	205	195	184	167	145	117	83
EMC 8R-80/10	50	37		247	239	229	217	204	186	161	131	92
EMC 8R-80/11	60	45		274	262	251	239	224	205	177	143	101
EMC 8R-80/12	60	45		296	286	274	260	245	223	193	157	110
EMC 8R-80/13	70	51		324	309	296	282	265	242	209	169	120
EMC 8R-80/14	70	51		350	335	319	304	286	260	224	182	127
EMC 8R-80/15	75	55		371	358	343	326	306	279	242	197	138
EMC 8R-80/16	80	59		400	384	365	346	326	298	258	208	144
EMC 8R-80/17	85	62		420	405	388	369	347	316	274	223	156
EMC 8R-80/18	90	66		450	430	410	389	367	335	290	234	164
EMC 8R-80/19	100	75		473	455	433	412	388	353	306	247	175
EMC 8R-80/20	100	75		494	477	457	434	408	372	322	262	184
EMC 8R-80/21	125	92		523	500	479	456	428	391	338	273	193
EMC 8R-80/22	125	92		548	524	502	477	449	409	354	286	202
EMC 8R-80/23	125	92		573	547	524	499	469	428	370	299	212
EMC 8R-80/25	125	92		625	598	570	543	510	465	403	325	230

Dimensiones y Peso

Overall dimensions and weights - Dimensions d'encombrement et poids

Tipo Type Type	Cv Hp	kW	A (mm)	B (mm)	C (mm)	D (mm)	ø max (mm)	DN	Peso - Weight - Poids		
									A (kg)	B (kg)	C (kg)
EMC 8R-80/2	10	7,5	1337	670	667	145			97	47	50
EMC 8R-80/3	15	11	1497	730	767				114	53	61
EMC 8R-80/4	20	15	1617	790	827				127	59	68
EMC 8R-80/5	25	18,5	1747	850	897				140	65	75
EMC 8R-80/6	30	22	1877	910	967				153	71	82
EMC 8R-80/7	35	26	1997	970	1027				166	77	89
EMC 8R-80/8	40	30	2107	1058	1049				225	87	138
EMC 8R-80/9	50	37	2237	1118	1119				246	93	153
EMC 8R-80/10	50	37	2297	1178	1119				252	99	153
EMC 8R-80/11	60	45	2545	1316	1229				281	110	171
EMC 8R-80/12	60	45	2605	1376	1229	198	G 3"		287	116	171
EMC 8R-80/13	70	51	2665	1436	1229				294	122	172
EMC 8R-80/14	70	51	2725	1496	1229				300	128	172
EMC 8R-80/15	75	55	2905	1556	1349				318	134	184
EMC 8R-80/16	80	59	2965	1616	1349				324	140	184
EMC 8R-80/17	85	62	3025	1676	1349				330	146	184
EMC 8R-80/18	90	66	3155	1736	1419				357	152	205
EMC 8R-80/19	100	75	3405	1796	1609				394	158	236
EMC 8R-80/20	100	75	3465	1856	1609				400	164	236
EMC 8R-80/21	125	92	3673	1994	1679				413	175	238
EMC 8R-80/22	125	92	3733	2054	1679				419	181	238
EMC 8R-80/23	125	92	3793	2114	1679				425	187	238
EMC 8R-80/25	125	92	3913	2234	1679				437	199	238




SUMERGIBLE RADIAL



Características Técnicas

Technical specifications

8R-80





Características Técnicas

Technical specifications



10R-85

Tipo Type Type	Motor Motors 2900 rpm Moteurs		Q = Caudal - Capacity - Débit									
	Cv Hp	kW	l/sec	0	7,0	8,3	11,1	13,9	16,7	19,5	22,2	23,6
			l/min	0	417	500	667	833	1000	1167	1333	1417
			mc/h	0	25	30	40	50	60	70	80	85
EMC 10R-85/2A	20	15	H(m)	73	71	70	68	64	58	49	37	30
EMC 10R-85/3A	30	22		111	108	107	103	97	88	75	56	45
EMC 10R-85/4A	40	30		150	146	144	139	131	118	101	75	61
EMC 10R-85/5A	50	37		191	186	184	178	167	151	129	96	78
EMC 10R-85/6A	60	45		229	223	220	213	200	181	154	116	93
EMC 10R-85/7A	70	51		267	260	257	249	234	211	180	135	109
EMC 10R-85/8A	80	59		306	297	294	284	267	241	206	154	124
EMC 10R-85/9A	90	66		344	334	330	320	301	271	231	173	140
EMC 10R-85/10A	100	75		382	372	367	355	334	302	257	193	155
EMC 10R-85/11A	125	92		420	409	404	391	367	332	283	212	171
EMC 10R-85/12A	125	92		458	446	440	426	401	362	308	231	186
EMC 10R-85/13A	150	110		497	483	477	462	434	392	334	250	202
EMC 10R-85/14A	150	110		535	519	512	497	466	421	358	269	217
EMC 10R-85/15A	150	110		573	557	551	533	501	452	386	289	233
EMC 10R-85/16A	180	132		611	594	587	568	534	482	411	308	248
EMC 10R-85/17A	180	132		649	632	624	604	568	513	437	327	264

Dimensiones y Peso

Overall dimensions and weights - Dimensions d'encombrement et poids


Tipo Type Type	Cv Hp	kW	A (mm)	B (mm)	C (mm)	D (mm)	ø max (mm)	DN	Peso - Weight - Poids		
									A (kg)	B (kg)	C (kg)
EMC 10R-85/2A	20	15	1629	802	827	145	242	100	149	81	68
EMC 10R-85/3A	30	22	1879	900	979	192			226	94	132
EMC 10R-85/4A	40	30	2019	970	1049				242	104	138
EMC 10R-85/5A	50	37	2159	1040	1119				267	114	153
EMC 10R-85/6A	60	45	2339	1110	1229				295	124	171
EMC 10R-85/7A	70	51	2409	1180	1229				306	134	172
EMC 10R-85/8A	80	59	2599	1250	1349				328	144	184
EMC 10R-85/9A	90	66	2739	1320	1419				359	154	205
EMC 10R-85/10A	100	75	2828	1390	1438				472	167	305
EMC 10R-85/11A	125	92	3028	1460	1568	525			177	348	
EMC 10R-85/12A	125	92	3098	1530	1568	535			187	348	
EMC 10R-85/13A	150	110	3308	1600	1708	591			197	394	
EMC 10R-85/14A	150	110	3378	1670	1708	598			204	394	
EMC 10R-85/15A	150	110	3448	1740	1708	611			217	394	
EMC 10R-85/16A	180	132	3618	1810	1808	648			227	421	
EMC 10R-85/17A	180	132	3688	1880	1808	658			237	421	



SUMERGIBLE RADIAL



SUMERGIBLE RADIAL



Debido a continuas mejoras en los diseños, EMC BOMBAS se reserva el derecho de realizar modificaciones sin previo aviso.
Due to continuous improvement in design, EMC BOMBAS reserves the right to amend specifications or data without prior notice.




Características Técnicas


Technical specifications

10R-130

Tipo Type Type	Motor Motors 2900 rpm Moteurs		Q = Caudal - Capacity - Débit									
	Cv Hp	kW	l/sec	0	13,9	16,7	19,5	22,2	25	30,6	33,3	36,1
			l/min	0	833	1000	1167	1333	1500	1833	2000	2167
			m ³ /h	0	50	60	70	80	90	110	120	130
EMC 10R-130/2A	25	18,5		70	64	62	60	57	54	44	38	31
EMC 10R-130/3A	40	30		107	97	94	91	87	81	67	57	47
EMC 10R-130/4A	50	37		143	131	127	123	117	110	90	77	63
EMC 10R-130/5D	60	45		170	157	154	148	140	130	106	90	72
EMC 10R-130/5A	70	51		183	167	162	157	150	140	115	99	80
EMC 10R-130/6A	80	59		220	200	194	188	179	168	138	119	96
EMC 10R-130/7A	90	66		256	233	226	219	209	196	161	138	112
EMC 10R-130/8A	100	75	H(m)	293	266	259	250	239	224	184	158	128
EMC 10R-130/9A	125	92		329	300	291	282	269	252	207	178	144
EMC 10R-130/10A	125	92		366	333	324	313	299	280	230	198	160
EMC 10R-130/11A	150	110		403	366	356	344	329	308	253	217	176
EMC 10R-130/12A	150	110		439	400	388	376	359	336	276	237	192
EMC 10R-130/13A	180	132		476	433	421	407	389	364	299	257	208
EMC 10R-130/14A	180	132		512	466	453	438	419	392	322	277	224
EMC 10R-130/15A	200	150		549	500	486	472	448	415	342	295	242




Dimensiones y Peso												
Overall dimensions and weights - Dimensions d'encombrement et poids												
Tipo Type Type	Cv Hp	kW	A (mm)	B (mm)	C (mm)	D (mm)	ø max (mm)	DN	Peso - Weight - Poids			
									A (kg)	B (kg)	C (kg)	
EMC 10R-130/2A	25	18,5	1699	802	897	145	242	100	156	81	75	
EMC 10R-130/3A	40	30	1949	900	1049	192			232	94	138	
EMC 10R-130/4A	50	37	2089	970	1119				257	104	153	
EMC 10R-130/5D	60	45	2269	1040	1229				285	114	171	
EMC 10R-130/5A	70	51	2269	1040	1229				286	114	172	
EMC 10R-130/6A	80	59	2459	1110	1349				308	124	184	
EMC 10R-130/7A	90	66	2599	1180	1419				339	134	205	
EMC 10R-130/8A	100	75	2688	1250	1438	240			452	147	305	
EMC 10R-130/9A	125	92	2888	1320	1568				502	154	348	
EMC 10R-130/10A	125	92	2958	1390	1568				515	167	348	
EMC 10R-130/11A	150	110	3168	1460	1708				571	177	394	
EMC 10R-130/12A	150	110	3238	1530	1708				581	187	394	
EMC 10R-130/13A	180	132	3408	1600	1808				618	197	421	
EMC 10R-130/14A	180	132	3478	1670	1808				628	207	421	
EMC 10R-130/15A	200	150	3668	1740	1928				667	217	450	



SUMERGIBLE RADIAL



SUMERGIBLE RADIAL



Debido a continuas mejoras en los diseños, EMC BOMBAS se reserva el derecho de realizar modificaciones sin previo aviso.
Due to continuous improvement in design, EMC BOMBAS reserves the right to amend specifications or data without prior notice.